



### EDITORIAL BOARD



### **EDITOR-IN-CHIEF**

## Assist. Prof. Ayşe Gülşen DOĞAN

Department of Physical Therapy and Rehabilitation, Erol Olçok Training and Research Hospital, Çorum, Turkiye

## **ASSOCIATE EDITORS-IN-CHIEF**

### Prof. Burcu DUYUR ÇAKIT

Department of Physical Therapy and Rehabilitation, Ankara Training and Research Hospital, University of Health Sciences, Ankara, Turkiye

#### **Assist. Prof. Furkan SOY**

Department of Orthopedics and Traumatology, Faculty of Medicine, Kırıkkale University, Kırıkkale, Turkiye

## Assoc. Prof. İzzet BİNGÖL

Department of Orthopedics and Traumatology, Ankara Oncology Training and Research Hospital, University of Health Sciences, Ankara, Turkiye

## Assoc. Prof. Özge VERGİLİ

Department of Physiotherapy and Rehabilitation, Faculty of Health Sciences, Kırıkkale University, Kırıkkale, Turkiye

#### EDITORIAL BOARD

## **Assoc. Prof. Ahmet Emre PAKSOY**

Department of Orthopedics and Traumatology, Faculty of Medicine, Atatürk University, Erzurum, Turkiye

#### Assoc. Prof. Alberto GRASSI

Department of Orthopedics and Traumatology, Istituto Ortopedico Rizzoli, Bologna, Italy

## Prof. Barıs KOCAOĞLU

Department of Orthopedics and Traumatology, Faculty of Medicine, Acıbadem University, İstanbul, Turkiye

#### Assoc. Prof. Caner KARARTI

Department of Physiotherapy and Rehabilitation, Faculty of Health Sciences, Kırşehir Ahi Evran University, Kırşehir, Turkiye

#### **Assoc. Prof. Cristian INDINO**

Department of Orthopedics and Traumatology, Humanitas San Pio X Hospital, Foot Ankle Clinics, Milano, Italy

#### Assoc. Prof. Doruk AKGÜN

Division of Shoulder and Elbow, Department of Orthopedics and Traumatology, Center for Musculoskeletal Surgery, Charité University Hospital, Berlin, Germany

#### Prof. Durmuş Ali ÖÇGÜDER

Department of Orthopedics and Traumatology, Ankara Bilkent City Hospital, Faculty of Medicine, Yıldırım Beyazıt University, Ankara, Turkiye

#### Prof. Gökhan KOCA

Department of Nuclear Medicine, Ankara Training and Research Hospital, University of Health Science, Ankara, Turkiye



#### EDITORIAL BOARD



#### Prof. Gül BALTACI

Department of Physiotherapy and Rehabilitation, Professor Doctor Gül Baltacı Physiotherapy and Exercise Counseling Center, Ankara, Turkiye

### Assoc. Prof. Güzelali ÖZDEMİR

Department of Orthopedics and Traumatology, Ankara Bilkent City Hospital, Ankara, Turkiye

#### Prof. Hakan BASAR

Department of Orthopedics and Traumatology, Gaziosmanpaşa Training and Research Hospital, University of Health Science, İstanbul, Turkiye

## Assoc. Prof. Hakan KOCAOĞLU

Department of Orthopedics and Traumatology, Faculty of Medicine, Ankara University, Ankara, Turkiye

## Assoc. Prof. Hakkı Çağdaş BASAT

Department of Orthopedics and Traumatology, Faculty of Medicine Kırşehir Ahi Evran University, Kırşehir, Turkiye

#### **Assist. Prof. Levent HOROZ**

Department of Orthopedics and Traumatology, Faculty of Medicine, Kırşehir Ahi Evran University, Kırşehir, Turkiye

## Prof. Mehmet DEMİRTAŞ

Department of Orthopedics and Traumatology, Faculty of Medicine, Ankara University, Ankara, Turkiye

#### Assist. Prof. Mehmet Fevzi ÇAKMAK

Kırşehir Ahi Evran University School of Medicine, Kırşehir, Turkiye

#### **Prof. Mehmet Müfit ORAK**

Department of Orthopaedics and Traumatology, Faculty of Medicine, Atlas University, İstanbul, Turkiye

#### Assoc. Prof. Mehmet Orçun AKKURT

Department of Orthopedics and Traumatology, Ankara Bilkent City Hospital, Ankara, Turkiye

#### **Prof. Osman TECİMEL**

Department of Orthopedics and Traumatology, Ankara Bilkent City Hospital, Faculty of Medicine, Yıldırım Beyazıt University, Ankara, Turkiye

# Assoc. Prof. Özgür ÇİÇEKLİ

Department of Orthopedics and Traumatology, Adatıp Hospital, Sakarya, Turkiye

## Assoc. Prof. Safa GÜRSOY

Department of Orthopedics and Traumatology, Faculty of Medicine, Acıbadem University, İstanbul, Turkiye

## Assoc. Prof. Turan Cihan DÜLGEROĞLU

Department of Orthopedics and Traumatology, Faculty of Medicine, Kütahya Health Science University, Kütahya, Turkiye

## Assist. Prof. Uğur BEZİRGAN

Division of Hand Surgery, Department of Orthopedics and Traumatology, Faculty of Medicine, Ankara University, Ankara, Turkiye



## **EDITORIAL BOARD**



## **ENGLISH LANGUAGE EDITOR**

## Assoc. Prof. Esra Güzel TANOĞLU

Department of Molecular Biology and Genetics, Institute of Health Sciences, University of Health Sciences, İstanbul, Turkiye

# STATISTICS EDITOR

## Assoc. Prof. Turgut KÜLTÜR

Department of Physical Therapy and Rehabilitasyon, Faculty of Medicine, Kırıkkale University, Kırıkkale, Turkiye



## **CONTENTS**



Volume: 2 Issue: 2 Year: 2024

# **ORIGINAL ARTICLES**

Eker Büyükşireci D, Büyükşireci M, Ertekin E.

Evaluation of cranio-cervical muscle activity in adolescents with different malocclusions: a pilot surface EMG study	
e e e e e e e e e e e e e e e e e e e	H, Atalay Güzel N, Kafa N, Gürühan S, Akçam MO.
Evaluation of the diagnostic efficacy of computed tomography imaging i patients	
	Soy F, Pehlivan O, Çakır AD, Özsan SO.
Effects of myofascial trigger point injection on the disease activity in pat comorbidity of fibromyalgia and cervical myofascial pain syndrome	cients with
Has the COVID-19 pandemic affected injury in football? Example of a p football team	rofessional
	CASE REPORT